

SKF 6248 M deep groove ball bearings

Find the discount SKF 6248 M deep groove ball bearings online you need . We offer ... If you check out our 22x50x14 Size (mm) large selection of SKF 6248 M deep groove ball bearings 50 Outer Diameter (mm) once .

Size (mm)	22x50x14
Bore Diameter (mm)	22
Outer Diameter (mm)	50
Width (mm)	14
d	22 mm
D	50 mm
B	14 mm
C	14 mm
rn	0,5 mm
r min.	1 mm
da min.	27 mm
da max	29,5 mm
Da max.	45 mm
ra max.	1 mm
Weight	0,117 Kg
Basic dynamic load rating (C)	12,9 kN
Basic static load rating (C0)	6,8 kN
(Grease) Lubrication Speed	14 000 r/min
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A

Weight / Kilogram	0.116
EAN	4547359553758
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	22MM Bore; 50MM Outside Diameter; 14MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	62/22ZZ
Weight / LBS	0.256
Outside Diameter	1.969 Inch 50 Millimeter
Bore	0.866 Inch 22 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.551 Inch 14 Millimeter
bore diameter:	22 mm
precision rating:	ISO Class 0
outside diameter:	50 mm

finish/coating:	Uncoated
overall width:	14 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	14 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	14 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	14000 rpm
internal clearance:	CN
fillet radius:	1 mm
operating temperature range:	-40 to 120 °C
maximum rpm:	14000 RPM
dynamic load capacity:	12900 N
series:	62
static load capacity:	6800 N
manufacturer product page:	Click here