

# SKF 7010 CE/HCP4AL angular contact ball bearings

Can't find 0.0 Inventory what you're looking for SKF 7010 CE/HCP4AL angular contact ball bearings ? Our expert Representatives N/A Minimum Buy Quantity be in contact with you shortly!

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	111 lb
EAN	0013992044709
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSE403BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Inch
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring
UNSPSC	31171511

Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	91.01
Bolt Spacing Minimum	0 Inch   0Millimeter
D	3.543 Inch   90 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Nominal Bolt Center to Center	15.4 Inch   392 Millimeter
Actual Bolt Center to Center	15.4 Inch   392Millimeter
B	5.63 Inch   143 Millimeter
d	4.188 Inch   106.375 Millimeter
Shaft Size	4-3/16 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – Standard
Bolt Size	2 x M24
Dimension H	5.630 in
Dimension H1	2.4 in
Dimension H2	12.4 in
Dimension J	15.4 in
Dimension L	18.3 in
Dimension M	4.7 in
Housing Width	5.6 in
Cr – Dynamic Load Rating	71040 lbf
Cor – Static Load Rating	95993 lbf

Maximum Speed	1970 rpm
Note	This product line was formerly known as "Revolvo"