

# SKF 728 CD/P4A angular contact ball bearings

Browse 150 mm D SKF 728 CD/P4A angular contact ball bearings Categories in the Manufacturers Online Free. 70 mm d including

d	70 mm
D	150 mm
B	35 mm
E	130 mm
F	90 mm
d1	98 mm
rs min	2.1 mm
r1s min	2.1 mm
Radial clearance class	C4
Mass (without HJ ring)	2.84 kg
Dynamic load, C	158 kN
Static load, C0	168 kN
Fatigue limit load, Cu	19.9 kN
Nlim (oil)	5,500 rpm
Nlim (grease)	4,700 rpm
Min operating temperature, Tmin	-40 °C
Max operating temperature, Tmax	120 °C
Characteristic cage frequency, FTF	0.41 Hz
Characteristic rolling element frequency, BSF	5.32 Hz
Characteristic outer ring frequency, BPF0	5.32 Hz

Characteristic inner ring frequency, BPI	7.68 Hz
da min	81 mm
da max	87 mm
dc min	100 mm
Da max	139 mm
ra max	2 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	2.79
EAN	4547359123463
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring – One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C4-Extra Loose
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	1 Rib Inner Ring   2 Rib Outer Ring   Cage On Outer Ring ID

Long Description	70MM Bore; Straight Bore Profile; 150MM Outside Diameter; 35MM Width; Steel Cage Matetrial; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NJ314C4
Weight / LBS	6.144
Bore	2.756 Inch   70 Millimeter
Outside Diameter	5.906 Inch   150 Millimeter
Width	1.378 Inch   35 Millimeter