

SKF 7320BEP angular contact ball bearings

Advance SKF 7320BEP angular contact ball bearings is your source for quality and accessories. shop online N/A Minimum Buy Quantity for home delivery 0.0 Inventory or pick up in one of our 10000 .

| | |
|---------------------------|---|
| Inventory | 0.0 |
| Manufacturer Name | NSK |
| Minimum Buy Quantity | N/A |
| Weight | 0.37 |
| Product Group | B04144 |
| Bore Profile | Straight |
| Cage Material | Brass |
| Precision Class | RBEC 1 ISO P0 |
| Number of Rows of Rollers | Single Row |
| Separable | Inner Ring – One Side |
| Rolling Element | Cylindrical Roller Bearing |
| Profile | Complete with Outer and Inner Ring |
| Snap Ring | No |
| Internal Clearance | C0-Medium |
| Retainer | Yes |
| Relubricatable | Yes |
| Inch – Metric | Metric |
| Other Features | Standard Capacity 1 Rib Inner Ring 2 Rib Outer Ring Medium Series Cage on Outer Ring ID |

| | |
|--------------------------|--|
| Long Description | 25MM Bore; Straight Bore Profile; 62MM Outside Diameter; 17MM Width; Brass Cage Material; RBEC 1 |
| UNSPSC | 31171547 |
| Harmonized Tariff Code | 8482.50.00.00 |
| Noun | Bearing |
| Manufacturer Item Number | NJ305M |
| Weight / LBS | 0.816 |
| B | 0.669 Inch 17 Millimeter |
| D | 2.441 Inch 62 Millimeter |
| d | 0.984 Inch 25 Millimeter |
| bore diameter: | 25 mm |
| static load capacity: | 5650 lbs |
| outside diameter: | 62 mm |
| precision rating: | Not Rated |
| overall width: | 17 mm |
| maximum rpm: | 13000 RPM |
| flanges: | (2) Outer Ring, (1) Inner Ring |
| cage material: | Brass |
| bore type: | Straight |
| finish/coating: | Uncoated |
| number of rows: | 1 |
| closure type: | Open |
| internal clearance: | C0 |
| application: | Electric Motors, Printing Presses, Turbines, Construction Equipment, Transmissions, Crushers, Blower |
| ring separation: | Separable Ring |

| | |
|------------------------------|--------------------|
| outer ring width: | 17 mm |
| operating temperature range: | Maximum of +250 °F |
| fillet radius: | 0.039 in |
| dynamic load capacity: | 6560 lb |
| series: | 300 |