

# SKF BT4B 331089 CG/HA1 tapered roller bearings

SKF BT4B 331089 CG/HA1 tapered roller bearings Warehouse offers car parts and car accessories. We sell 105 mm d discount online 160 mm D as well as cheap machinery parts.

d	105 mm
D	160 mm
B	26 mm
rs min	2 mm
Radial clearance class	CN
Mass	1.59 kg
Dynamic load, C	72.5 kN
Static load, C <sub>0</sub>	65.5 kN
Fatigue limit load, C <sub>u</sub>	2.6 kN
f <sub>0</sub>	15.8
N <sub>lim</sub> (grease)	4,000 rpm
Min operating temperature, T <sub>min</sub>	-20 °C
Max operating temperature, T <sub>max</sub>	120 °C
Characteristic cage frequency, FTF	0.44 Hz
Characteristic rolling element frequency, BSF	7.82 Hz
Characteristic outer ring frequency, BPF <sub>0</sub>	6.56 Hz
Characteristic inner ring frequency, BPFI	8.44 Hz
da min	114 mm
Da max	151 mm

ra max	2 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	1.6
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	105MM Bore; 160MM Outside Diameter; 26MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1   I
Other Features	Deep Groove   Prelubricated
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	3.50535
Inner Race Width	0 Inch   0 Millimeter
Bore	4.134 Inch   105 Millimeter
Outer Race Width	1.024 Inch   26 Millimeter

Outside Diameter

6.299 Inch | 160  
Millimeter