

# SKF BTM 65 ATN9/HCP4CDB angular contact ball bearings

The online SKF BTM 65 ATN9/HCP4CDB angular contact ball bearings parts store gives you immediate access to a selection of more than 1.4 million 0.0 Inventory new, used, remanufactured.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	8.93
EAN	7316577312280
Product Group	M06288
Number of Mounting Holes	2
Mounting Method	Stepped Sleeve
Housing Style	2 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	22215
Seals	Trigard
Housing Configuration	1 Piece Solid
Inch – Metric	Inch
Other Features	Double Row   Heavy Duty   Locating Bearing   Open End   With Grub Screw

Long Description	2 Bolt Pillow Block; 3" Bore; 3-1/4" Base to Center Height; Stepped Sleeve Mount; Spherica
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	SYR 3 NH
Weight / LBS	21
Bolt Spacing Maximum	8.438 Inch   214.325Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
B	3.25 Inch   82.55 Millimeter
Bolt Spacing Minimum	7.813 Inch   198.44Millimeter
d	3 Inch   76.2 Millimeter
Nominal Bolt Center to Center	8.1 Inch   206.4 Millimeter
D	2.578 Inch   65.481 Millimeter
bore diameter:	3.0000 in
base width:	65.1 mm
overall length:	265.11 mm
expansion type:	Non-Expansion Bearing (Fixed)
overall height:	115.89 mm
finish/coating:	Uncoated
mounting:	Two-Bolt Base
overall width:	2-19/32 in
bearing type:	Spherical Roller
seal type:	Contact/Lip
bore type:	Round
radial dynamic load capacity:	212 kN
housing construction:	Solid Pillow Block

radial static load capacity:	240 kN
base to bore centerline:	57.15 mm
lubrication type:	Lubrication Fitting
duty type:	Standard Duty
series:	SYR
housing material:	Cast Iron
replacement bearing:	22215
bolt center-to-center length:	223.838 mm