

SKF C 2326/VE240 cylindrical roller bearings

What are the dimensions of a 0.0 Inventory SKF C 2326/VE240 cylindrical roller bearings? Manufacturing Service . Get Your Free, Instant N/A Minimum Buy Quantity Quote

| | |
|---------------------------|--------------------------------------------------------------------------------------------|
| Inventory | 0.0 |
| Manufacturer Name | TIMKEN |
| Minimum Buy Quantity | N/A |
| Weight | 31.326 |
| EAN | 0883450355773 |
| Product Group | M06288 |
| Number of Mounting Holes | 2 |
| Mounting Method | Concentric Collar |
| Housing Style | 2 Bolt Pillow Block |
| Rolling Element | Spherical Roller Bearing |
| Housing Material | Cast Steel |
| Expansion / Non-expansion | Expansion |
| Mounting Bolts | 7/8 Inch |
| Relubricatable | Yes |
| Insert Part Number | 22220 |
| Seals | Triple Lip Urethane |
| Housing Configuration | 1 Piece Solid |
| Inch – Metric | Inch |
| Other Features | Double Row Single Collar SN Style With Set Screw |
| Long Description | 2 Bolt Pillow Block; 3-3/4" Bore; 4-59/64" Base to Center Height; Concentric Collar Mount; |

| | |
|-------------------------------|--------------------------------|
| UNSPSC | 31171511 |
| Harmonized Tariff Code | 8483.20.40.80 |
| Noun | Bearing |
| Keyword String | Pillow Block |
| Manufacturer Item Number | QASN20A312SE0 |
| Weight / LBS | 79 |
| Actual Bolt Center to Center | 0 Inch 0Millimeter |
| D | 4.61 Inch 117.094 Millimeter |
| Bolt Spacing Maximum | 14.41 Inch 366.014Millimeter |
| d | 3.75 Inch 95.25 Millimeter |
| Bolt Spacing Minimum | 12.56 Inch 319.024Millimeter |
| B | 4.921 Inch 125 Millimeter |
| Nominal Bolt Center to Center | 13.5 Inch 342.5 Millimeter |