

# SKF D/W R155-2ZS deep groove ball bearings

What are the dimensions of a SKF D/W R155-2ZS deep groove ball bearings? Manufacturing Service 8.0 Inventory . Get Your Free, Instant Quote

Inventory	8.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.833
EAN	7316576652141
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AHX311 (Specify bore)
Withdrawal Nut	KM12
Inch – Metric	Metric
Long Description	55MM Tapered Bore; 100MM Outside Diameter; 25MM Width; C3-Loose Clearance; Adapter Mount; Double Row

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	1.835
D	3.937 Inch   100 Millimeter
B	0.984 Inch   25 Millimeter
Adapter Part Number	SNW11 H311 HA311 HE311 (Specify Bore) Inch   H311 (Specify bore) Millimeter
d	2.165 Inch   55 Millimeter
bore diameter:	55 mm
maximum rpm:	8500 RPM
outside diameter:	100 mm
operating temperature range:	Maximum of +390 °F
overall width:	25 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	25 mm

dynamic load capacity:	125 kN
fillet radius:	1.5 mm
static load capacity:	127 kN
series:	222