

SKF FY 1.1/2 TF/VA228 bearing units

SKF FY 1.1/2 TF/VA228 bearing units 60 Bore Diameter (mm) Engineering Calculator , 60x78x20 Size (mm) Manufacturing Service . Get Your Free.

Size (mm)	60x78x20
Bore Diameter (mm)	60
Outer Diameter (mm)	78
Width (mm)	20
Fw	60 mm
D	78 mm
C	20 mm
Da	68,8 mm
Db	60,8 mm
db	67,2 mm
E	68 mm
ra max	1 mm
rmin	1 mm
m	255 g / Weight
Cr	49500 N / Dynamic load rating (radial)
C0r	85000 N / Static load rating (radial)
Cur	13600 N / Fatigue limit load, radial
nG	7700 1/min / Limiting speed
nB	4150 1/min / Reference speed
Inventory	0.0

Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.26
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring – No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Outer Ring – Both Sides
Closed End	No
Inch – Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	60MM Bore; 78MM Outside Diameter; 20MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring
Other Features	Plain Outer Ring Precision Bearing Steel Cage Ground Raceway
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer Item Number	RNA060X78X20
Weight / LBS	0.562
Bore	2.362 Inch 60 Millimeter
Outside Diameter	3.071 Inch 78 Millimeter

Width	0.787 Inch 20 Millimeter
-------	----------------------------