

SKF FY 45 TDW bearing units

SKF FY 45 TDW bearing units Manufacturers , Online 70 Bore Diameter (mm) Wholesale 110 Outer Diameter (mm) Suppliers 70x110x25 Size (mm) !

| | |
|-------------------------------|------------|
| Size (mm) | 70x110x25 |
| Bore Diameter (mm) | 70 |
| Outer Diameter (mm) | 110 |
| Width (mm) | 25 |
| d | 70 mm |
| D | 110 mm |
| T | 25 mm |
| B | 25 mm |
| C | 19 mm |
| a | 23,7 mm |
| r min. | 1,5 mm |
| r1 min. | 1,5 mm |
| da min. | 81 mm |
| Da min | 98 mm |
| Da max. | 101 mm |
| db max. | 77 mm |
| Db min. | 105 mm |
| ra max. | 1,5 mm |
| rb max. | 1,5 mm |
| Weight | 0,869 Kg |
| Basic dynamic load rating (C) | 104 kN |
| Basic static load rating (C0) | 158 kN |
| (Grease) Lubrication Speed | 3200 r/min |

| | |
|-------------------------|------------|
| (Oil) Lubrication Speed | 4300 r/min |
| Calculation factor (e) | 0,43 |
| Calculation factor (Y0) | 0,76 |
| Inventory | 0.0 |
| Manufacturer Name | NSK |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 0 |
| Product Group | B04334 |
| LangID | 1 |
| outer r | 1.5 |
| D_ | 110 |
| TC-BET22 | 3 |
| TC-BET21 | 3 |
| TC-BET23 | 0 |
| inner r | 1.5 |
| mass | 0.869 |
| GRS rpm | 3200 |
| D_b | 105 |
| Cr | 10600 |
| TC-RA | 186.858 |
| DE_ | 99.141 |
| T-ALP23 | 0 |
| db | 77 |
| T-ALP22 | 20 |
| Prod_Type3 | TRBSR_MD_A |
| da | 81 |
| T-ALP21 | 32 |
| Iso | 4CC |
| ALPHA_ | 16.167 |

| | |
|----------|-------------|
| SDM_ | 89.917 |
| SBRG | 20 |
| D_a2 | 98 |
| hidYobi | HR32014XJ |
| Y1 | 1.4 |
| D_a1 | 101 |
| B_ | 25 |
| hidTable | ecat_NSTPRM |
| Oil rpm | 4300 |
| C0r | 16100 |
| Y0 | 0.76 |
| TC-SLR | 18 |
| inner ra | 1.5 |
| outer rb | 1.5 |
| C0 | 158 |
| Sa | 5 |
| Sb | 6 |
| e | 0.43 |
| DA_ | 9.468 |
| Z_ | 26 |
| C_ | 19 |
| yobi | HR32014XJ |
| TC-DA1 | 9.945 |
| TC-DA2 | 8.991 |
| KBRG | 3111 |
| DI_ | 80.693 |