

SKF FYM 2.7/16 TF bearing units

YOU'LL FIND AN N/A Minimum Buy Quantity EXTENSIVE SELECTION OF SKF FYM 2.7/16 TF bearing units FOR 0.0 Inventory SALE.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	224.87
EAN	0087796141346
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3176 A0H3176 (Specify bore)
Inch – Metric	Metric
Long Description	380MM Tapered Bore; 620MM Outside Diameter; 194MM Width; C0-Medium Clearance; Adapter Mount; Double
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available

UNSPSC	31171510
Harmonized Tariff Code	8482.30.80.00
Noun	Bearing
Keyword String	Spherical
Manufacturer Item Number	23176 KYMBW906A
Weight / LBS	495.3
Adapter Part Number	SNP3176 (Specify bore) Inch H3176 (Specify bore) Millimeter
d	14.961 Inch 380 Millimeter
B	7.638 Inch 194 Millimeter
D	24.409 Inch 620 Millimeter
Design Unit	METRIC
Bore Taper	1/12
Bearing Weight	232.600 Kg
Cage Type	YMB
UPC Code	087796141346
d – Bore	380.000 mm
D – Outer Diameter	620.000 mm
B – Inner Ring Width	194 mm
B – Outer Ring Width	194.000 mm
R – Inner Ring To Clear Radius1	4.000 mm
r – Outer Ring To Clear Radius2	4.000 mm
da – Inner Ring Backing Diameter	431.000 mm
Da – Outer Ring Backing Diameter	566.000 mm
C0 – Static Radial Rating	7580000 N
C1(2) – Dynamic Radial Rating (Two-Rows)	4490000 N
e – ISO Factor3	0.3
Y0 – ISO Factor4	2.28

Y1 – ISO Factor ⁵	3.39
Y2 – ISO Factor ⁶	2.23
Reference Thermal Speed Rating (Grease)	510
Reference Thermal Speed Rating (Oil) ⁷	560
Cg – Geometry Factor ⁸	0.0895