

# SKF FYR 3 1/2-3 bearing units

SKF FYR 3 1/2-3 bearing units Manufacturers , Online N/A  
Minimum Buy Quantity Wholesale 0.0 Inventory TIMKEN  
Manufacturer Name Suppliers !

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
EAN	0013992102706
Weight / US pound	0.01
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	MSE507BX
Seals	Single Lip Nitrile
Housing Configuration	2 Piece Split
Inch – Metric	Inch
Other Features	Single Row   Medium Duty   With Support   Wide Inner Ring   Axial Float
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing

Keyword String	Pillow Block
Weight / LBS	293.34
Bolt Spacing Maximum	0 Inch   0Millimeter
d	5.438 Inch   138.125 Millimeter
D	4.626 Inch   117.5 Millimeter
Nominal Bolt Center to Center	21.5 Inch   546 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Actual Bolt Center to Center	21.5 Inch   546Millimeter
B	7.992 Inch   203 Millimeter
Shaft Size	5-7/16 in
Seal Type	Viton Single Lip
Bearing Type	Split Cylindrical Expansion Type
Support Type	Four-Bolt Plummer Block
Series Type	Medium Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – SAFQ
Bolt Size	4 x 1
Bearing UPC	013992032805
Dimension H	6-11/16 in
Dimension H2	15.15 in
Dimension J1	19-1/4 in
Dimension J2	17-3/8 in
Dimension K	3-3/4 in
Dimension L	21-21/32 in
Dimension M	6-1/4 in
Housing Width	7.3 in
Cr – Dynamic Load Rating	135088 lbf
Cor – Static Load Rating	183729 lbf

Maximum Speed	1450 rpm
Note	This product line was formerly known as "Revolvo"