

SKF GEC440TXA-2RS plain bearings

Advance SKF GEC440TXA-2RS plain bearings is your source for quality and accessories. shop online for home 105 Bore Diameter (mm) delivery or 190 Outer Diameter (mm) pick up in one of 105x190x39 Size (mm) our 10000 .

Size (mm)	105x190x39
Bore Diameter (mm)	105
Outer Diameter (mm)	190
Width (mm)	39
d	105 mm
D	190 mm
T	39 mm
B	36 mm
C	30 mm
a	38,1 mm
r min.	3 mm
r1 min.	2,5 mm
da min.	123 mm
Da min	166 mm
Da max.	178 mm
db max.	123 mm
Db min.	177 mm
ra max.	2,5 mm
rb max.	2 mm
Weight	4,51 Kg
Basic dynamic load rating (C)	280 kN

Basic static load rating (C0)	365 kN
(Grease) Lubrication Speed	1900 r/min
(Oil) Lubrication Speed	2600 r/min
Calculation factor (e)	0,42
Calculation factor (Y0)	0,79
LangID	1
outer r	2.5
D_	190
TC-BET22	0
TC-BET21	4
TC-BET23	0
inner r	3
mass	4.51
GRS rpm	1900
D_b	177
Cr	28500
TC-RA	324
DE_	168.195
T-ALP23	4
db	123
T-ALP22	17
Prod_Type3	TRBSR_MD_A
da	123
T-ALP21	31
Iso	3FB
ALPHA_	15.643
SDM_	146.92
SBRG	2
D_a2	166

hidYobi	HR30221J
Y1	1.4
D_a1	178
B_	36
hidTable	ecat_NSTPRM
Oil rpm	2600
C0r	37500
Y0	0.79
TC-SLR	25
inner ra	2.5
outer rb	2
C0	365
Sa	6
Sb	9
e	0.42
DA_	21.748
Z_	20
C_	30
yobi	HR30221J
TC-DA1	22.613
TC-DA2	20.883
KBRG	3111
DI_	125.645