

# SKF LBCD 20 A linear bearings

SKF LBCD 20 A linear bearings manufacturer and global supplier of reliable 0.0 Inventory ball and roller ... SKF LBCD 20 A linear bearings Industries Products Manufacturing & Engineering and Agricultural Bearings designed to meet the unique requirements of our targeted industries.

|                           |   |
|---------------------------|---|
| Inventory                 | 0.0   |
| Manufacturer Name         | REGAL BELoit  |
| Minimum Buy Quantity      | N/A   |
| Weight                    | 1.361   |
| EAN                       | 0662798247939                                       |
| Product Group             | M06110  |
| Number of Mounting Holes  | 2   |
| Mounting Method           | Set Screw   |
| Housing Style             | 2 Bolt Pillow Block                                 |
| Rolling Element           | Ball Bearing  |
| Housing Material          | Cast Iron   |
| Expansion / Non-expansion | Non-expansion                                       |
| Mounting Bolts            | 3/8 Inch  |
| Relubricatable            | Yes   |
| Insert Part Number        | B250  |
| Seals                     | Nitrile Rubber                                      |
| Housing Configuration     | 1 Piece Solid                                       |
| Inch – Metric             | Inch  |
| Other Features            | Single Row   Spherical   Low Base   Has Trash Guard |

|                               |  |
|-------------------------------|--|
| Long Description              | 2 Bolt Pillow Block; 7/8" Bore; 1-5/16" Base to Center Height; Set Screw Mount; Ball Beari |
| UNSPSC                        | 31171511   |
| Harmonized Tariff Code        | 8483.20.40.40  |
| Noun                          | Bearing  |
| Keyword String                | Pillow Block   |
| Manufacturer Item Number      | 1001-00907   |
| Manufacturer Internal Number  | 24793  |
| Weight / LBS                  | 2.3  |
| Nominal Bolt Center to Center | 4.1 Inch   105 Millimeter  |
| Bolt Spacing Minimum          | 3.5 Inch   88.9Millimeter  |
| D                             | 1.071 Inch   27.203 Millimeter   |
| d                             | 0.875 Inch   22.225 Millimeter   |
| B                             | 1.313 Inch   33.35 Millimeter  |
| Bolt Spacing Maximum          | 4.5 Inch   114.3Millimeter   |
| Actual Bolt Center to Center  | 0 Inch   0Millimeter   |