

# SKF NJ1009ECP cylindrical roller bearings

SKF NJ1009ECP cylindrical roller bearings Warehouse offers car 0.0 Inventory parts and car accessories. We sell discount N/A Minimum Buy Quantity online as well as cheap machinery parts.

|                           |  |
|---------------------------|--|
| Inventory                 | 0.0  |
| Manufacturer Name         | IPTCI BEARINGS   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 3.265  |
| Product Group             | M06110   |
| Number of Mounting Holes  | 2  |
| Mounting Method           | Eccentric Collar   |
| Housing Style             | 2 Bolt Pillow Block  |
| Rolling Element           | Ball Bearing   |
| Housing Material          | Cast Iron  |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 5/8 Inch   |
| Relubricatable            | Yes  |
| Insert Part Number        | NA210-32   |
| Seals                     | B Seal   |
| Housing Configuration     | 1 Piece Solid  |
| Inch – Metric             | Inch   |
| Other Features            | Single Row   Standard Duty   Wide Inner Race   High Base                                   |
| Long Description          | 2 Bolt Pillow Block; 2" Bore; 2-1/4" Base to Center Height; Eccentric Collar Mount; Ball B |
| UNSPSC                    | 31171511   |

|                               |                              |
|-------------------------------|------------------------------|
| Harmonized Tariff Code        | 8483.20.40.40                |
| Noun                          | Bearing                      |
| Keyword String                | Pillow Block                 |
| Manufacturer Item Number      | NAP 210 32                   |
| Weight / LBS                  | 7.2                          |
| Bolt Spacing Maximum          | 0 Inch   0Millimeter         |
| Bolt Spacing Minimum          | 0 Inch   0Millimeter         |
| B                             | 2.25 Inch   57.15 Millimeter |
| Actual Bolt Center to Center  | 6.3 Inch   159Millimeter     |
| Nominal Bolt Center to Center | 6.3 Inch   160 Millimeter    |
| d                             | 2 Inch   50.8 Millimeter     |
| D                             | 2.469 Inch   62.7 Millimeter |