

# SKF S7019 ACE/HCP4A angular contact ball bearings

How do I place 111.125×190.5×47.625 Size (mm) an 111,125 Bore Diameter (mm) EMERGENCY order for a SKF S7019 ACE/HCP4A angular contact ball bearings that I want to pick up at a our store?

Size (mm)	111.125×190.5×47.625
Bore Diameter (mm)	111,125
Outer Diameter (mm)	190,5
Width (mm)	47,625
d	111,125 mm
D	190,5 mm
T	47,625 mm
B	49,212 mm
C	34,925 mm
ra1 max.	3,3 mm
a	40,1 mm
r min.	3,5 mm
r1 min.	3,3 mm
Da	171 mm
db	123 mm
ra max.	3,5 mm
da	129 mm
Db	181 mm
Weight	5,29 Kg
Basic dynamic load rating (C)	296 kN
Basic static load rating (C0)	465 kN

(Grease) Lubrication Speed	1800 r/min
(Oil) Lubrication Speed	2400 r/min
Calculation factor (e)	0,42
Calculation factor (Y0)	0,79
LangID	1
ALP23	0
outer r	3.3
ALP22	0
D_	190.5
ALP21	31
SHOG_yobi	71437/71750
RAr	330.864
inner r	3.5
GRS rpm	1800
D_b	181
D_a	171
DE_	168.086
SLR	34
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	15.5
SDM_	150.975
DA1	18.283
DA2	16.411
hidYobi	71437/71750
Y1	1.4
B_	49.212
Oil rpm	2400
hidTable	ecat_NSTPRI

Y0	0.79
inner ra	3.5
outer rb	3.3
C0	465
CUP	1.71
e	0.42
DA_	17.351
BET21	3
BET22	10
BET23	0
Z_	22
C_	34.925
yobi	71437/71750
KBRG	3161
CONE	3.58
DI_	133.966