

# SKF S7202 ACD/P4A angular contact ball bearings

The online SKF S7202 ACD/P4A angular contact ball bearings parts store gives you immediate access to a selection of more than 1.4 4.0 Inventory million new, used, remanufactured.

Inventory	4.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	13.812
EAN	7316576657344
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3226 (Specify bore)
Withdrawal Nut	KM29
Inch – Metric	Metric
Long Description	130MM Tapered Bore; 230MM Outside Diameter; 80MM Width; C3-Loose Clearance; Adapter Mount; Double Ro

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	30.424
d	5.118 Inch   130 Millimeter
B	3.15 Inch   80 Millimeter
D	9.055 Inch   230 Millimeter
Adapter Part Number	SNW126 H2326 HA2326 HE2326 (Specify Bore) Inch   H2326 (Specify bore) Millimeter
bore diameter:	130 mm
maximum rpm:	2600 RPM
outside diameter:	230 mm
operating temperature range:	Maximum of +390 °F
overall width:	80 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	80 mm

dynamic load capacity:	780 kN
fillet radius:	2.5 mm
static load capacity:	1060 kN
series:	232