

# SKF SYNT 55 F bearing units

What is the best 100x125x13 Size (mm) place to buy SKF SYNT 55 F bearing units online? Manufacturing Service .

Size (mm)	100x125x13
Bore Diameter (mm)	100
Outer Diameter (mm)	125
Width (mm)	13
d	100 mm
D	125 mm
B	13 mm
C	13 mm
rn	0,5 mm
r min.	1 mm
da min.	105 mm
da max	106 mm
Da max.	120 mm
ra max.	1 mm
Weight	0,313 Kg
Basic dynamic load rating (C)	19,6 kN
Basic static load rating (C0)	21,2 kN
(Grease) Lubrication Speed	4 800 r/min
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4547359006469
Product Group	B00308

Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	100MM Bore; 125MM Outside Diameter; 13MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1   I
Other Features	Deep Groove   Shell Alvania Prelubricated
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.664
Bore	3.937 Inch   100 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Outside Diameter	4.921 Inch   125 Millimeter
Outer Race Width	0.512 Inch   13 Millimeter
bore diameter:	100 mm
precision rating:	ISO Class 0
outside diameter:	125 mm
finish/coating:	Uncoated
overall width:	13 mm
bearing material:	High Carbon Chrome Steel

bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	13 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	13 mm
snap ring included:	Without Snap Ring
maximum rpm (grease):	4800 rpm
internal clearance:	CN
fillet radius:	1 mm
operating temperature range:	-40 to 120 °C
maximum rpm:	4800 RPM
dynamic load capacity:	19600 N
series:	68
static load capacity:	21200 N
manufacturer product page:	<a href="#">Click here</a>