

# SKF W 6204-2Z deep groove ball bearings

Advance SKF W 6204-2Z deep groove ball bearings is 62 mm D your source for quality and accessories. shop 35 mm d online for home delivery or pick up in one of our 10000 .

d	35 mm
D	62 mm
B	14 mm
rs min	1 mm
Radial clearance class	C3
Mass	0.16 kg
Dynamic load, C	16 kN
Static load, C <sub>0</sub>	10.3 kN
Fatigue limit load, C <sub>u</sub>	0.47 kN
f <sub>0</sub>	14.8
N <sub>lim</sub> (grease)	12,000 rpm
Min operating temperature, T <sub>min</sub>	-30 °C
Max operating temperature, T <sub>max</sub>	175 °C
Characteristic cage frequency, FTF	0.42 Hz
Characteristic rolling element frequency, BSF	5.95 Hz
Characteristic outer ring frequency, BPF <sub>0</sub>	4.6 Hz
Characteristic inner ring frequency, BPFI	6.4 Hz
da min	40 mm
Da max	57 mm

ra max	1 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	0692314634707
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C3-Loose
Inch – Metric	Metric
Long Description	35MM Bore; 62MM Outside Diameter; 14MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1   ISO
Other Features	Deep Groove   Chevron SRI2 Prelubricated
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.3373
Bore	1.378 Inch   35 Millimeter
Outer Race Width	0.551 Inch   14 Millimeter
Inner Race Width	0 Inch   0 Millimeter

Outside Diameter	2.441 Inch   62 Millimeter
------------------	----------------------------