

SNFA E 208 7CE1 angular contact ball bearings

SNFA E 208 7CE1 angular contact ball bearings SEARCH – Whether it's agriculture or construction 20 mm d equipment your working on, Has the you need.

d	20 mm
D	47 mm
B	14 mm
rs min	1 mm
Radial clearance class	CN
Mass	0.11 kg
Dynamic load, C	12.8 kN
Static load, C ₀	6.65 kN
Fatigue limit load, C _u	0.3 kN
f ₀	13.2
N _{lim} (grease)	10,000 rpm
Min operating temperature, T _{min}	-20 °C
Max operating temperature, T _{max}	80 °C
Characteristic cage frequency, FTF	0.38 Hz
Characteristic rolling element frequency, BSF	4.12 Hz
Characteristic outer ring frequency, BPF ₀	3.08 Hz
Characteristic inner ring frequency, BPFI	4.92 Hz
da min	25 mm
da max	28 mm

Da max	42 mm
ra max	1 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.103
EAN	4547359353334
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	20MM Bore; 47MM Outside Diameter; 14MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No
Other Features	Deep Groove Double Lip Friction Nitrile Rubber Seal -20 To 120 Deg C Prelubricated
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing

Keyword String	Ball
Manufacturer Item Number	6204LLU/LP03
Weight / LBS	0.234
Inner Race Width	0 Inch 0 Millimeter
Bore	0.787 Inch 20 Millimeter
Outer Race Width	0.551 Inch 14 Millimeter
Outside Diameter	1.85 Inch 47 Millimeter