

# SNFA SEA30 7CE3 angular contact ball bearings

Question SNFA SEA30 7CE3 angular contact ball bearings 68,263 mm d ? Find what you need 68,263 Bore Diameter (mm) faster by entering your information .

Bore Diameter (mm)	68,263
d	68,263 mm
s1	46,1 mm
A	76,2 mm
A1	48 mm
B	73,1 mm
G	20 mm
H	177 mm
H1	88,9 mm
H2	47,2 mm
J	228,6 mm
L	305 mm
N	35 mm
N1	22,2 mm
Weight	10,8 Kg
Basic dynamic load rating (C)	66,3 kN
Basic static load rating (C0)	49 kN
Fatigue load limit (Pu)	2,04
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	10.791

EAN	7316571407203
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	7/8 Inch
Relubricatable	Yes
Insert Part Number	YAR 215-211-2F
Seals	M Seal
Housing Configuration	1 Piece Solid
Inch – Metric	Inch
Other Features	Single Row   Medium Duty   Wide Inner Race   Has Flinger
Long Description	2 Bolt Pillow Block; 2-11/16" Bore; 3-1/2" Base to Center Height; Set Screw Mount; Ball Be
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	SYM 2.11/16 TF
Weight / LBS	16.5
Actual Bolt Center to Center	0 Inch   0Millimeter
Length Thru Bore	2.875 Inch   73.02 Millimeter
Bolt Spacing Minimum	8.5 Inch   215.9Millimeter
Nominal Bolt Center to Center	9 Inch   229 Millimeter

Bolt Spacing Maximum	9.5 Inch   241.3Millimeter
Bore	2.688 Inch   68.275 Millimeter
Base to Center Height	3.5 Inch   88.9 Millimeter