

SNFA VEX 85 /NS 7CE3 angular contact ball bearings

Enjoy High Margins on Competitive 120x260x59.5 Size (mm) Pricing.Great Wholesale 120 Bore Diameter (mm) Products at Low Costs.

Size (mm)	120x260x59.5
Bore Diameter (mm)	120
Outer Diameter (mm)	260
Width (mm)	59,5
d	120 mm
D	260 mm
T	59,5 mm
B	55 mm
C	46 mm
a	50 mm
r min.	4 mm
r1 min.	3 mm
da min.	141 mm
Da min	223 mm
Da max.	246 mm
db max.	154 mm
Db min.	237 mm
ra max.	3 mm
rb max.	2,5 mm
Weight	13,9 Kg
Basic dynamic load rating (C)	535 kN
Basic static load rating (C0)	655 kN

(Grease) Lubrication Speed	1400 r/min
(Oil) Lubrication Speed	1900 r/min
Calculation factor (e)	0,35
Calculation factor (Y0)	0,96
LangID	1
outer r	3
D_	260
TC-BET22	0
TC-BET21	4
TC-BET23	0
inner r	4
mass	13.9
GRS rpm	1400
D_b	237
Cr	54500
TC-RA	523
DE_	225.472
T-ALP23	20
db	154
T-ALP22	54
Prod_Type3	TRBSR_MD_A
da	141
T-ALP21	25
Iso	2GB
ALPHA_	12.953
SDM_	191.139
SBRG	3
D_a2	223
hidYobi	HR30324J

Y1	1.7
D_a1	246
B_	55
hidTable	ecat_NSTPRM
Oil rpm	1900
C0r	67000
Y0	0.96
TC-SLR	38
inner ra	3
outer rb	2.5
C0	655
Sa	6
Sb	13.5
e	0.35
DA_	35.188
Z_	15
C_	46
yobi	HR30324J
TC-DA1	36.502
TC-DA2	33.873
KBRG	3111
DI_	156.806