

SNR 7005HVDUJ74 angular contact ball bearings

What 170x280x109 Size (mm) are the types of SNR 7005HVDUJ74 angular contact ball bearings ? Manufacturing Service . Get Your Free, Instant price, design 170 Bore Diameter (mm) review.

Size (mm)	170x280x109
Bore Diameter (mm)	170
Outer Diameter (mm)	280
Width (mm)	109
d	170 mm
D	280 mm
B	109 mm
C	109 mm
r min.	2,1 mm
da min.	182 mm
da max	190 mm
Da min	239 mm
Da max.	268 mm
ra max.	2 mm
Weight	26,6 Kg
Basic dynamic load rating (C)	1080 kN
Basic static load rating (C0)	1860 kN
(Grease) Lubrication Speed	1000 r/min
(Oil) Lubrication Speed	1300 r/min
Calculation factor (e)	0,37
Calculation factor (Y0)	1,8

Calculation factor (Y2)	2,7
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	26.6
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Shaft Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Straight
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	Not Applicable
Inch – Metric	Metric
Long Description	170MM Straight Bore; 280MM Outside Diameter; 109MM Width; C0-Medium Clearance; Shaft Mount; Double R
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer Item Number	24134CE4
Weight / LBS	26.6
Bore	6.693 Inch 170 Millimeter
Adapter Part Number	Not Applicable Inch Not Applicable Millimeter
Outside Diameter	11.024 Inch 280 Millimeter

Width	4.291 Inch 109 Millimeter
Y3	1.8
hidYobi	24134CE4
LangID	1
Y1	1.8
D_	280
Y2	2.7
Macha rpm	0
B_	109
da min	182
hidTable	ecat_NSSPHR
Oil rpm	1300
Y0	1.8
mass	26.6
GRS rpm	1000
ra	2
TSR rpm	1200
C0	1860
DE_	252.459
X0	1
Prod_Type3	SRB_CTB_CB
X1	1
X2	0.67
SIR	43.5
e	0.37
DA_	28
bomp	24134CE4
Z_	21
ALP2	50

ALP1	13
ALP3	0
D_a max	268
D_a min	239
yobi	24134CE4
ALPHA_	0.241
SDM_	225.271
r	2.1
KBRG	2322
SBRG	41
DI_	198.083