

SNR AB12305.S1 deep groove ball bearings

are a few brands 145x105x20 Size (mm) you 105 Outer Diameter (mm) will find in our inventory. Find SNR AB12305.S1 deep groove ball bearings to see what's in stock!

Size (mm)	145x105x20
Bore Diameter (mm)	145
Outer Diameter (mm)	105
Width (mm)	20
d	105 mm
D	145 mm
B	20 mm
d1	117.3 mm
d2	117.3 mm
D1	132.7 mm
r1,2 – min.	1.1 mm
r3,4 – min.	0.6 mm
a	26.8 mm
da – min.	111 mm
db – min.	111 mm
Da – max.	139 mm
Db – max.	141 mm
ra – max.	1 mm
rb – max.	0.6 mm
dn	120.6 mm
Basic dynamic load rating – C	61.8 kN
Basic static load rating – C0	69.5 kN

Fatigue load limit – Pu	2.6 kN
Limiting speed for grease lubrication	10000 r/min
Limiting speed for oil lubrication	16000 mm/min
Ball – Dw	12.7 mm
Ball – z	27
Gref	11.1 cm ³
Calculation factor – f ₀	16.4
Preload class A – GA	230 N
Preload class B – GB	460 N
Preload class C – GC	920 N
Preload class D – GD	1840 N
Calculation factor – f	1
Calculation factor – f _{2A}	1
Calculation factor – f _{2B}	1.07
Calculation factor – f _{2C}	1.12
Calculation factor – f _{2D}	1.18
Calculation factor – f _{HC}	1.04
Preload class A	122 N/micron
Preload class B	168 N/micron
Preload class C	239 N/micron
Preload class D	350 N/micron
r _{1,2} min.	1.1 mm
r _{3,4} min.	0.6 mm
d _a min.	111 mm
d _b min.	111 mm
D _a max.	139 mm
D _b max.	141 mm
r _a max.	1 mm
r _b max.	0.6 mm

Basic dynamic load rating C	61.8 kN
Basic static load rating C ₀	69.5 kN
Fatigue load limit P _u	2.6 kN
Attainable speed for grease lubrication	10000 r/min
Attainable speed for oil-air lubrication	16000 r/min
Ball diameter D _w	12.7 mm
Number of balls z	27
Reference grease quantity G _{ref}	11.1 cm ³
Preload class A G _A	230 N
Static axial stiffness, preload class A	122 N/μm
Preload class B G _B	460 N
Static axial stiffness, preload class B	168 N/μm
Preload class C G _C	920 N
Static axial stiffness, preload class C	239 N/μm
Preload class D G _D	1840 N
Static axial stiffness, preload class D	350 N/μm
Calculation factor f	1.25
Calculation factor f ₁	1
Calculation factor f _{2A}	1
Calculation factor f _{2B}	1.07
Calculation factor f _{2C}	1.12
Calculation factor f _{2D}	1.18
Calculation factor f _{HC}	1.04
Calculation factor f ₀	16.4
Mass bearing	0.7 kg