

SNR GB12163S05 angular contact ball bearings

High Quality SNR GB12163S05 angular contact ball bearings. Competitive 68 Outer Diameter (mm) Pricing. Accept Small Order. Easy and 40x68x15 Size (mm) Fast Shipping.

Size (mm)	40x68x15
Bore Diameter (mm)	40
Outer Diameter (mm)	68
Width (mm)	15
d	40 mm
D	68 mm
B	15 mm
C	15 mm
d1	49,2 mm
d2	– mm
r1 min.	44,6 mm
r2 min.	44,6 mm
D1	61,1 mm
D2	1 mm
da min.	44.6 mm
Da max.	63.4 mm
ra max.	1 mm
Weight	0,2 Kg
Basic dynamic load rating (C)	17,8 kN
Basic static load rating (C0)	11 kN
Fatigue load limit (Pu)	0,49
Reference speed	22000 r/min

Limiting speed	11000 r/min
Calculation factor (f0)	15
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.191
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Non-Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	40MM Bore; 68MM Outside Diameter; 15MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No
Other Features	Deep Groove NBR Seal
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.4475
Outer Race Width	0.591 Inch 15 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	2.677 Inch 68 Millimeter

Bore	1.575 Inch 40 Millimeter
d1 ≈	49.25 mm
D2 ≈	61.1 mm
da max.	49.2 mm
Basic dynamic load rating C	17.8 kN
Basic static load rating C0	11 kN
Fatigue load limit Pu	0.49 kN
Calculation factor kr	0.025
Calculation factor f0	15
Mass bearing	0.2 kg