SNR MLE7003HVDUJ74S angular contact ball bearings

100% Authentic. SNR MLE7003HVDUJ74S angular contact ball bearings Highest Quality. 0.0 Inventory Certified Supplier. NTN Manufacturer Name

Inventory 0.0 Manufacturer Name NTN Minimum Buy Quantity N/A Weight 13.01 EAN 4547359001686 Product Group M06110 Number of Mounting Holes 2 Mounting Method Set Screw Housing Style 2 Bolt Pillow Block Rolling Element Ball Bearing Housing Material Cast Iron Expansion / Non-expansion Non-expansion Mounting Bolts 22 Millimeter Relubricatable Yes Insert Part Number UC218D1 Seals Single Lip Land Riding Housing Configuration 1 Piece Solid Inch - Metric Single Row Light Duty Wide Inner Race Has Flinger		
Minimum Buy Quantity Weight 13.01 EAN 4547359001686 Product Group M06110 Number of Mounting Holes 2 Mounting Method Housing Style 2 Bolt Pillow Block Rolling Element Ball Bearing Housing Material Cast Iron Expansion / Non-expansion Mounting Bolts 22 Millimeter Relubricatable Yes Insert Part Number UC218D1 Seals Housing Configuration I Piece Solid Inch - Metric Other Features NAA 4547359001686 Abya Abya 4547359001686 Abya Abya 4547359001686 Abya Abya 4547359001686 Abya Abya 4547359001686 Abya Abya 4547359001686 Abya Abya 4547359001686 Abya Abya	Inventory	0.0
Weight 13.01 EAN 4547359001686 Product Group M06110 Number of Mounting Holes 2 Mounting Method Set Screw Housing Style 2 Bolt Pillow Block Rolling Element Ball Bearing Housing Material Cast Iron Expansion / Non-expansion Non-expansion Mounting Bolts 22 Millimeter Relubricatable Yes Insert Part Number UC218D1 Seals Single Lip Land Riding Housing Configuration 1 Piece Solid Inch - Metric Single Row Light Duty Wide	Manufacturer Name	NTN
EAN 4547359001686 Product Group M06110 Number of Mounting Holes 2 Mounting Method Set Screw Housing Style 2 Bolt Pillow Block Rolling Element Ball Bearing Housing Material Cast Iron Expansion / Non-expansion Non-expansion Mounting Bolts 22 Millimeter Relubricatable Yes Insert Part Number UC218D1 Seals Single Lip Land Riding Housing Configuration 1 Piece Solid Inch - Metric Single Row Light Duty Wide	Minimum Buy Quantity	N/A
Product Group M06110 Number of Mounting Holes 2 Mounting Method Set Screw Housing Style 2 Bolt Pillow Block Rolling Element Ball Bearing Housing Material Cast Iron Expansion / Non-expansion Non-expansion Mounting Bolts 22 Millimeter Relubricatable Yes Insert Part Number UC218D1 Seals Single Lip Land Riding Housing Configuration 1 Piece Solid Inch - Metric Single Row Light Duty Wide	Weight	13.01
Number of Mounting Holes Mounting Method Set Screw Housing Style Rolling Element Housing Material Expansion / Non-expansion Mounting Bolts Relubricatable Insert Part Number Seals Housing Configuration Inch - Metric Other Features Set Screw 2 Bolt Pillow Block Relubricw Block 2 Millimeter Yes Insert Part Number UC218D1 Single Lip Land Riding Housing Configuration I Piece Solid Other Features Single Row Light Duty Wide	EAN	4547359001686
Mounting Method Housing Style Rolling Element Housing Material Expansion / Non-expansion Mounting Bolts Relubricatable Insert Part Number Seals Housing Configuration Inch - Metric Single Row Light Duty Wide	Product Group	M06110
Housing Style 2 Bolt Pillow Block Rolling Element Ball Bearing Housing Material Cast Iron Expansion / Non-expansion Non-expansion Mounting Bolts 22 Millimeter Relubricatable Yes Insert Part Number UC218D1 Seals Single Lip Land Riding Housing Configuration 1 Piece Solid Inch - Metric Single Row Light Duty Wide	Number of Mounting Holes	2
Rolling Element Housing Material Expansion / Non-expansion Mounting Bolts Relubricatable Insert Part Number Seals Single Lip Land Riding Housing Configuration Inch - Metric Other Features Ball Bearing Cast Iron Non-expansion Von-expansion UC218D1 Single Lip Land Riding Housing Configuration I Piece Solid Metric Single Row Light Duty Wide	Mounting Method	Set Screw
Housing Material Expansion / Non-expansion Mounting Bolts Relubricatable Insert Part Number Seals Housing Configuration Inch - Metric Other Features Cast Iron Non-expansion Non-expansion UC218D1 Se Single Lip Land Riding 1 Piece Solid Metric Single Row Light Duty Wide	Housing Style	2 Bolt Pillow Block
Expansion / Non-expansion Mounting Bolts Relubricatable Insert Part Number Seals Single Lip Land Riding Housing Configuration Inch - Metric Other Features Non-expansion Non-expansion Non-expansion 1 Piece Metric Single Lip Land Riding Therefore Solid Metric Single Row Light Duty Wide	Rolling Element	Ball Bearing
Mounting Bolts Relubricatable Insert Part Number Seals Single Lip Land Riding Housing Configuration 1 Piece Solid Inch - Metric Other Features Single Row Light Duty Wide	Housing Material	Cast Iron
Relubricatable Insert Part Number UC218D1 Seals Single Lip Land Riding Housing Configuration 1 Piece Solid Inch - Metric Other Features Single Row Light Duty Wide	Expansion / Non-expansion	Non-expansion
Insert Part Number Seals Single Lip Land Riding Housing Configuration 1 Piece Solid Inch - Metric Other Features Single Row Light Duty Wide	Mounting Bolts	22 Millimeter
Seals Single Lip Land Riding Housing Configuration 1 Piece Solid Inch - Metric Other Features Single Row Light Duty Wide	Relubricatable	Yes
Housing Configuration 1 Piece Solid Inch - Metric Metric Single Row Light Duty Wide	Insert Part Number	UC218D1
Inch - Metric Other Features Single Row Light Duty Wide	Seals	Single Lip Land Riding
Other Features Single Row Light Duty Wide	Housing Configuration	1 Piece Solid
()ther Features	Inch — Metric	Metric
	Other Features	

2 Bolt Pillow Block; 90MM Bore; 100MM Base to Center Height; Set Screw Mount; Ball Bearing; Relubric
31171511
8483.20.40.40
Bearing
Pillow Block
UCP218D1
28.66
3.937 Inch 100 Millimeter
3.543 Inch 90 Millimeter
0 Inch OMillimeter
3.78 Inch 96 Millimeter
10.3 Inch 260.5 Millimeter
10.3 Inch 262Millimeter
0 Inch OMillimeter
Two-Bolt Base
200 mm
90 mm
Uncoated
Round
96 mm
4.0000 in
-15 to +100 °C
Light Duty
88 mm
Cast Iron
262 mm
Set Screw

lubrication type:	Lubrication Fitting
seal type:	Contact with Flinger
series:	UCP2
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UCP218D1
overall length:	327 mm