

# SNR MLE71901CVUJ74S angular contact ball bearings

Find the discount SNR MLE71901CVUJ74S angular contact ball bearings online you 180 Bore Diameter (mm) need . We offer ... If you check out our large selection 85 Outer Diameter (mm) of SNR MLE71901CVUJ74S angular contact ball bearings 180x85x41 Size (mm) once .

Size (mm)	180x85x41
Bore Diameter (mm)	180
Outer Diameter (mm)	85
Width (mm)	41
d	85 mm
D	180 mm
B	41 mm
d1	114.55 mm
D2	155.4 mm
r1,2 – min.	3 mm
da – min.	99 mm
da – max.	114.9 mm
Da – max.	166 mm
ra – max.	2.5 mm
Basic dynamic load rating – C	140 kN
Basic static load rating – C0	96.5 kN
Fatigue load limit – Pu	3.6 kN
Reference speed	8000 r/min
Limiting speed	5000 r/min
Calculation factor – kr	0.03

Calculation factor – f0	13
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	4.3
EAN	7316577098931
Product Group	B00308
Enclosure	1 Metal Shield
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	85MM Bore; 180MM Outside Diameter; 41MM Outer Race Diameter; 1 Metal Shield; Ball Bearing; ABEC 1
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6317-Z
Weight / LBS	9.48
Bore	3.346 Inch   85 Millimeter
Outside Diameter	7.087 Inch   180 Millimeter
Outer Race Width	1.614 Inch   41 Millimeter
d1 ≈	114.55 mm

D2 ≈	155.4 mm
r <sub>1,2</sub> min.	3 mm
d <sub>a</sub> min.	99 mm
d <sub>a</sub> max.	114.9 mm
D <sub>a</sub> max.	166 mm
r <sub>a</sub> max.	2.5 mm
Basic dynamic load rating C	140 kN
Basic static load rating C <sub>0</sub>	96.5 kN
Fatigue load limit P <sub>u</sub>	3.55 kN
Calculation factor k <sub>r</sub>	0.03
Calculation factor f <sub>0</sub>	13.3
Mass bearing	4.29 kg