

Timken 48BIH225 deep groove ball bearings

Timken 48BIH225 deep groove ball bearings Needs SKF Manufacturer Name Analysis , 0.0 Inventory Manufacturing Service . Get Your Free. N/A Minimum Buy Quantity

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.627
EAN	7316572161708
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AHX310 (Specify Bore)
Withdrawal Nut	KM11
Inch – Metric	Metric
Long Description	50MM Tapered Bore; 90MM Outside Diameter; 23MM Width; C0-Medium Clearance; Adapter Mount; Double Row

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	1.382
d	1.969 Inch 50 Millimeter
D	3.543 Inch 90 Millimeter
B	0.906 Inch 23 Millimeter
Adapter Part Number	SNW10 H310 HA310 HE310 HS310 (Specify Bore) Inch H310 (Specify bore) Millimeter
bore diameter:	50 mm
maximum rpm:	9500 RPM
outside diameter:	90 mm
operating temperature range:	Maximum of +390 °F
overall width:	23 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C0
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	23 mm

dynamic load capacity:	104 kN
fillet radius:	1 mm
static load capacity:	108 kN
series:	222