

Timken 594/592-B tapered roller bearings

QuestionTimken 594/592-B tapered roller bearings ? Find what you need faster N/A Minimum Buy Quantity by entering 0.0 Inventory your information .

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	8.245
EAN	7316576601743
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AHX3126 (Specify bore)
Withdrawal Nut	KM28
Inch – Metric	Metric
Long Description	130MM Tapered Bore; 210MM Outside Diameter; 64MM Width; C3-Loose Clearance; Adapter Mount; Double Ro

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	18.16
D	8.268 Inch 210 Millimeter
d	5.118 Inch 130 Millimeter
B	2.52 Inch 64 Millimeter
Adapter Part Number	SNW3126 H3126 HA3126 HE3126 (Specify bore) Inch H3126 (Specify bore) Millimeter
bore diameter:	130 mm
maximum rpm:	3200 RPM
outside diameter:	210 mm
operating temperature range:	Maximum of +390 °F
overall width:	64 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	64 mm

dynamic load capacity:	560 kN
fillet radius:	2 mm
static load capacity:	780 kN
series:	231