

# Timken 71412/71750-B tapered roller bearings

With over 10170 full-service stores, our Timken 71412/71750-B tapered roller bearings inventory is extensive and our parts are priced right. within 24 hours. This helps you maximize your productivity by saving time 0.0 Inventory and your TIMKEN Manufacturer Name hard-earned N/A Minimum Buy Quantity dollars.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	64 lb
EAN	0013992041319
Product Group	B04144
Number of Mounting Holes	2
Mounting Method	Clamp Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSM85BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Metric
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring

UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	55.04
Nominal Bolt Center to Center	12.6 Inch   320 Millimeter
Actual Bolt Center to Center	12.6 Inch   320Millimeter
B	4.409 Inch   112 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
D	2.953 Inch   75 Millimeter
d	3.346 Inch   85 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Shaft Size	85 mm
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Two-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – Standard
Bolt Size	2 x M24
Dimension H	4.409 in
Dimension H1	1.7 in
Dimension H2	9.9 in
Dimension J	12.6 in
Dimension L	15.0 in
Dimension M	3.5 in
Housing Width	5.4 in
Cr – Dynamic Load Rating	42039 lbf

Cor – Static Load Rating	51931 lbf
Maximum Speed	2790 rpm
Note	This product line was formerly known as “Revolvo”