

# Timken 9101KDD deep groove ball bearings

170 Million used Timken 9101KDD deep groove ball bearings instantly searchable. Shop our large selection of parts based on brand, price, 0.0 Inventory description, and location. Order N/A Minimum Buy Quantity the with stock SKF Manufacturer Name ...

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	1.609
EAN	7316576652363
Product Group	B04311
Internal Clearance	C3-Loose
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Steel
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH314 (Specify bore)
Withdrawal Nut	KM16
Inch – Metric	Metric
Long Description	70MM Tapered Bore; 125MM Outside Diameter; 31MM Width; C3-Loose Clearance; Adapter Mount; Double Row

Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Weight / LBS	3.543
Adapter Part Number	SNW14 H314 HA314 (Specify Bore) Inch   H314 (Specify bore) Millimeter
D	4.921 Inch   125 Millimeter
d	2.756 Inch   70 Millimeter
B	1.22 Inch   31 Millimeter
bore diameter:	70 mm
maximum rpm:	6700 RPM
outside diameter:	125 mm
operating temperature range:	Maximum of +390 °F
overall width:	31 mm
cage material:	Steel
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C3
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	31 mm

dynamic load capacity:	208 kN
fillet radius:	1.5 mm
static load capacity:	228 kN
series:	222