

Timken AXZ 5,5 8 16 needle roller bearings

How do 215x170x22 Size (mm) I place an EMERGENCY 170 Outer Diameter (mm) order for a Timken AXZ 5,5 8 16 needle roller bearings that I 215 Bore Diameter (mm) want to pick up at a our store?

Size (mm)	215x170x22
Bore Diameter (mm)	215
Outer Diameter (mm)	170
Width (mm)	22
d	170 mm
D	215 mm
B	22 mm
d1	184.15 mm
D1	201.3 mm
r1,2 – min.	1.1 mm
da – min.	176 mm
Da – max.	209 mm
ra – max.	1 mm
Basic dynamic load rating – C	61.8 kN
Basic static load rating – C0	78 kN
Fatigue load limit – Pu	2.4 kN
Reference speed	6000 r/min
Limiting speed	3600 r/min
Calculation factor – kr	0.015
Calculation factor – f0	17.1
Inventory	0.0

Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	1.713
EAN	7316577098320
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	170MM Bore; 215MM Outside Diameter; 22MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; N
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	61834
Weight / LBS	3.774
Bore	6.693 Inch 170 Millimeter
Outside Diameter	8.465 Inch 215 Millimeter
Outer Race Width	0.866 Inch 22 Millimeter
bore diameter:	170 mm
static load capacity:	78 kN
outside diameter:	215 mm

precision rating:	Not Rated
overall width:	22 mm
finish/coating:	Uncoated
bore type:	Round
cage material:	Steel
closure type:	Open
outer ring width:	22 mm
row type & fill slot:	Single Row Non-Fill Slot
fillet radius:	1 mm
snap ring included:	Without Snap Ring
maximum rpm:	3600 RPM
internal clearance:	C0
series:	61
dynamic load capacity:	61.8 kN
d1 ≈	184.15 mm
D1 ≈	201.3 mm
r1,2 min.	1.1 mm
da min.	176 mm
Da max.	209 mm
ra max.	1 mm
Basic dynamic load rating C	61.8 kN
Basic static load rating C0	78 kN
Fatigue load limit Pu	2.4 kN
Calculation factor kr	0.015
Calculation factor f0	17.1
Mass bearing	1.63 kg