Timken HM129848/HM129814XD tapered roller bearings

We Mounted Bearing Engineering Group Provide Imperial Shaft Size Type Extensive Timken HM129848/HM129814XD tapered roller bearings Selection And Competitive Wholesale Pricing.

| Engineering Group | Mounted Bearing |
|-------------------------|-------------------|
| Shaft Size | 3-7/16 in |
| Shaft Size Type | Imperial |
| Full Timken Part Number | QATU18A307SB |
| Locking Style | Single Concentric |
| Weight | 44 lb |
| Housing Style | Take-Up |
| UPC Code | 0883450050807 |
| Dimension A | 3.63 in |
| Dimension C | 1.00 in |
| Dimension D | 7.63 in |
| Dimension E | 6.81 in |
| Dimension F | 1.81 in |
| Dimension G | 1.88 in |
| Dimension J | 4.88 in |
| Dimension L | 10.12 in |
| Dimension KA | 1.44 in |
| Dimension M | 2.59 in |
| Dimension N | 4.22 in |
| Dimension P | 6.25 in |
| Dimension S | 1.810 in |
| CO — Static Load | 87200 lb |

| C — Dynamic Load (Basic) | 79700 lb |
|-------------------------------------|-----------|
| e — Geometry Factor | 0.23 |
| Y1 - Geometry Factor | 2.90 |
| Y2 - Geometry Factor | 4.31 |
| Oil Lubrication — M/N Seal | 1400 rpm |
| Oil Lubrication — T Seal | 2400 rpm |
| Oil Lubrication — B/C/O Seal | 1000 rpm |
| Grease Lubrication — M/N Seal | 1400 rpm |
| Grease Lubrication — T Seal | 2000 rpm |
| Grease Lubrication — B/C/O Seal | 1000 rpm |
| Float | 0.08 in |
| Shaft Tolerance | 0.0030 in |
| Eng Internal Radial Clearance — Min | 0.0024 |
| Eng Internal Radial Clearance — Max | 0.0039 |
| Pre Install Clearance Min | 0.060 mm |
| Pre Install Clearance Max | 0.100 mm |