

Timken JP10049/JP10010B tapered roller bearings

Timken JP10049/JP10010B tapered roller bearings Warehouse 130x200x33 Size (mm) offers car parts and car accessories. We sell discount online as well as cheap machinery parts.

Size (mm)	130x200x33
Bore Diameter (mm)	130
Outer Diameter (mm)	200
Width (mm)	33
d	130 mm
D	200 mm
B	33 mm
C	33 mm
rn	0,5 mm
a	5,69 mm
b	3,5 mm
r min.	2 mm
r θ max.	0,6 mm
D1	193,65 mm
da min.	139 mm
da max	148,5 mm
Da max.	191 mm
ra max.	2 mm
Weight	3,26 Kg
Basic dynamic load rating (C)	106 kN
Basic static load rating (C θ)	101 kN
(Grease) Lubrication Speed	3 000 r/min

(Oil) Lubrication Speed	3 600 r/min
SRI	10.68
hidYobi	6026N
LangID	1
ro	0.6
D_	200
SREX	0.04
B_	33
da min	139
hidTable	ecat_NSRDGB
Oil rpm	3600
SRE	10.68
mass	3.26
GRS rpm	3000
ra	2
SRIX	0.04
D_a	191
SRIN	-0.04
C0	101
fo	15.8
SREN	-0.04
DE_	185.638
Prod_Type3	DGBB_SR_N_OT
DA_	20.638
bomp	0
Z_	15
yobi	6026N
C_conv	106000
ALPHA_	0

SDM_	165
r	2
KBRG	6101
SBRG	10
DI_	144.362