

# Timken L507949/L507910B tapered roller bearings

Browse Timken L507949/L507910B tapered roller bearings Categories in the Manufacturers 80 Bore Diameter (mm) Online 80x115x33 Size (mm) 115 Outer Diameter (mm) Free. including .

Size (mm)	80x115x33
Bore Diameter (mm)	80
Outer Diameter (mm)	115
Width (mm)	33
d	80 mm
D	115 mm
T	33 mm
b	10 mm
d1	115 mm
r min.	1 mm
A	46 mm
D1	82 mm
D2	98 mm
D3	120 mm
R	90 mm
da min.	101 mm
Da max.	94 mm
ra max.	1 mm
Weight	1,23 Kg
Basic dynamic load rating (C)	79 kN
Basic static load rating (C0)	218 kN
(Grease) Lubrication Speed	1800 r/min

SRI	6.85
hidYobi	53216U
LangID	1
D_	115
SREX	0.05
C	79
B_	33
hidTable	ecat_NSSDTB
Oil rpm	2600
SRE	6.85
mass	1.23
GRS rpm	1800
ra	1
SRIX	0.05
T4	33
D_3	120
D_a	94
SRIN	0
C0	218
D_2	98
SREN	0
D_1	82
Prod_Type3	TB_SD_WASW
da	101
DA_	12.7
Z_	22
yobi	53216U
A_	46
T3	29.5

SDM_	97.5
r	1
KBRG	5131
R_	90