

Timken LL771948/LL771911 tapered roller bearings

Offer High Quality Brand N/A Minimum Buy Quantity Timken LL771948/LL771911 tapered roller bearings SKF Manufacturer Name .Contact Us 0.0 Inventory Online to Get Best Quote.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	17.25
EAN	7316576664489
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Concentric Collar
Housing Style	4 Bolt Round Flange Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	22218
Seals	Trigard
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	4 Bolt Round Flange Block; 3-7/16" Bore; 9-1/2" Bolt Circle; 6.7" Bolt Spacing; 1 Pie

Other Features	Double Row Heavy Duty Open End With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	FYR 3.7/16 H
Weight / LBS	38
D	4.031 Inch 102.4 Millimeter
Bolt Spacing	6.7 Inch 170.2 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
d	3.438 Inch 87.325 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Nominal Bolt Circle Diameter Round	9.5 Inch 241 Millimeter
bore diameter:	3-7/16 in
expansion type:	Non-Expansion Bearing (Fixed)
bolt center-to-center length:	4.0600 in
seal type:	Contact/Lip
overall length/diameter:	11.1250 in
overall depth:	4-9/32 in
flange mounting type:	Four-Bolt Round
radial dynamic load capacity:	56900 lb
bearing type:	Spherical Roller
radial static load capacity:	76400 lb
housing construction:	Solid Flange Mount
operating temperature range:	Maximum of +110 °F °F

bore type:	Round
finish/coating:	Uncoated
duty type:	Standard Duty
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
series:	222
locking device:	Set Screw