

# Toyana 230/500 CW33 spherical roller bearings

Enjoy High Margins on Competitive Pricing.Great Wholesale 0.0 Inventory Products at Low Costs.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.21
EAN	7316577313256
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring – Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	High Capacity   Plain Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID

Long Description	85MM Bore; Straight Bore Profile; 150MM Outside Diameter; 28MM Width; Brass Cage Material; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NU 217 ECM/C3
Weight / LBS	4.863
d	3.346 Inch   85 Millimeter
D	5.906 Inch   150 Millimeter
B	1.102 Inch   28 Millimeter
bore diameter:	85 mm
precision rating:	RBEC 1 (ISO Class Normal)
outside diameter:	150 mm
maximum rpm:	5300 RPM
overall width:	28 mm
bearing material:	Steel
flanges:	(2) Outer Ring
cage material:	Brass
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	C3
application:	Piston Type Machines, Rolling Mills, Spindles/Machine Tools
ring separation:	Separable Ring
outer ring width:	28 mm
operating temperature range:	Maximum of +300 °F

fillet radius:	2 mm
dynamic load capacity:	190 kN
series:	NU2
static load capacity:	200 kN