

# Toyana 23036 KMBW33 spherical roller bearings

Shop 25.4×50.005×13.495 Size (mm) Toyana 23036 KMBW33 spherical roller bearings 25,4 Bore Diameter (mm) huge online discount inventory. and Import machinery parts your car needs with Free Shipping and Free Extended Warranty.

|                               |                    |
|-------------------------------|--------------------|
| Size (mm)                     | 25.4×50.005×13.495 |
| Bore Diameter (mm)            | 25,4               |
| Outer Diameter (mm)           | 50,005             |
| Width (mm)                    | 13,495             |
| d                             | 25,4 mm            |
| D                             | 50,005 mm          |
| T                             | 13,495 mm          |
| B                             | 14,26 mm           |
| C                             | 9,525 mm           |
| ra1 max.                      | 1 mm               |
| a                             | 10,6 mm            |
| r min.                        | 3,3 mm             |
| r1 min.                       | 1 mm               |
| Da                            | 44,5 mm            |
| db                            | 29,5 mm            |
| ra max.                       | 3,3 mm             |
| da                            | 35 mm              |
| Db                            | 47 mm              |
| Weight                        | 0,117 Kg           |
| Basic dynamic load rating (C) | 26 kN              |
| Basic static load rating (C0) | 27,9 kN            |

|                            |                 |
|----------------------------|-----------------|
| (Grease) Lubrication Speed | 7500 r/min      |
| (Oil) Lubrication Speed    | 10000 r/min     |
| Calculation factor (e)     | 0,4             |
| Calculation factor (Y0)    | 0,82            |
| LangID                     | 1               |
| ALP23                      | 0               |
| outer r                    | 1               |
| ALP22                      | 0               |
| D_                         | 50.005          |
| ALP21                      | 30              |
| SHOG_yobi                  | 07100SAR/07196R |
| RAr                        | 88.826          |
| inner r                    | 3.3             |
| GRS rpm                    | 7500            |
| D_b                        | 47              |
| D_a                        | 44.5            |
| DE_                        | 43.563          |
| SLR                        | 9.3             |
| Prod_Type3                 | TRBSR_ID_A      |
| BETA_                      | 2               |
| ALPHA_                     | 15              |
| SDM_                       | 37.871          |
| DA1                        | 6.2             |
| DA2                        | 5.554           |
| hidYobi                    | 07100SA/07196   |
| Y1                         | 1.5             |
| B_                         | 14.26           |
| Oil rpm                    | 10000           |
| hidTable                   | ecat_NSTPRI     |

|          |               |
|----------|---------------|
| Y0       | 0.82          |
| inner ra | 3.3           |
| outer rb | 1             |
| C0       | 27.9          |
| CUP      | 0.035         |
| e        | 0.4           |
| DA_      | 5.879         |
| BET21    | 4             |
| BET22    | 0             |
| BET23    | 0             |
| Z_       | 16            |
| C_       | 9.525         |
| yobi     | 07100SA/07196 |
| KBRG     | 3161          |
| CONE     | 0.082         |
| DI_      | 32.114        |