

# Toyana 7006 B-UD angular contact ball bearings

Advance Toyana 7006 B-UD angular contact ball bearings is your source 17 mm d for quality and accessories. shop online for home delivery 10 mm B or pick up in one of our 10000 .

d	17 mm
D	35 mm
B	10 mm
rs min	0.3 mm
Radial clearance class	C4
Mass	0.04 kg
Dynamic load, C	6.8 kN
Static load, C0	3.35 kN
Fatigue limit load, Cu	0.15 kN
f0	13.6
Nlim (grease)	14,000 rpm
Min operating temperature, Tmin	-25 °C
Characteristic cage frequency, FTF	0.39 Hz
Characteristic rolling element frequency, BSF	4.47 Hz
Characteristic outer ring frequency, BPF0	3.14 Hz
Characteristic inner ring frequency, BPI	4.86 Hz
da min	19 mm
da max	21 mm
Da max	33 mm

ra max	0.3 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.037
Product Group	B00308
Enclosure	1 Seal
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C4-Extra Loose
Inch – Metric	Metric
Long Description	17MM Bore; 35MM Outside Diameter; 10MM Outer Race Width; 1 Seal; Ball Bearing; ABEC 1   ISO P0; No F
Other Features	Deep Groove   Double Lip Friction Nitrile Rubber Seal   -20 To 120 Deg C
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.08598
Bore	0.669 Inch   17 Millimeter

Outer Race Width	0.394 Inch   10 Millimeter
Outside Diameter	1.378 Inch   35 Millimeter
Inner Race Width	0 Inch   0 Millimeter