

# Toyana 71910 C-U0 angular contact ball bearings

We work closely 70 Bore Diameter (mm) with our Toyana 71910 C-U0 angular contact ball bearings manufacturing partners 44,4 mm U to bring the best value to 70 mm d customers.

Bore Diameter (mm)	70
d	70 mm
U	44,4 mm
Thread (Q)	Rp1/8
Z	150 mm
A	32 mm
A1	18 mm
B	74,6 mm
H	215 mm
J	177 mm
N	18 mm
S	6 mm
Weight	5,29 Kg
Basic dynamic load rating (C)	62 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	1
EAN	4012802067637
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw

Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	18 Millimeter
Relubricatable	Yes
Insert Part Number	GYE70KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch – Metric	Metric
Long Description	4 Bolt Round Flange Cartridge; 70MM Bore; 177MM Bolt Circle; 125.2MM Bolt Spacing; 1 Piece Solid; Se
Other Features	Single Row   Centering Spigot   With Grub Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	RMEY70
Weight / LBS	11.246
Cartridge Pilot Depth	0.315 Inch   8 Millimeter
Length Thru Bore	2.937 Inch   74.6 Millimeter
Cartridge Pilot Diameter	5.906 Inch   150 Millimeter
Bore	2.756 Inch   70 Millimeter
Bolt Spacing	4.9 Inch   125.2 Millimeter

Nominal Bolt Circle Diameter  
Round

7 Inch | 177 Millimeter