

Toyana 7404 A-U0 angular contact ball bearings

Can't find what you're looking for Toyana 7404 A-U0 angular contact ball bearings ? Our expert 0.0 Inventory Representatives be in contact N/A Minimum Buy Quantity with you shortly!

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.012
EAN	7316570224887
Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	ABEC 1 ISO P0
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row With Flat Seat
Long Description	9.2MM Bore 1; 9.2MM Bore 2; 19.8MM Outside Diameter; 7MM Height; Ball Bearing; Single Direction; Not
Inch – Metric	Metric
UNSPSC	31171552
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing

Keyword String	Ball Thrust
Manufacturer Item Number	BA 9
Weight / LBS	0.02205
Bore 2	0.362 Inch 9.2 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Height	0.276 Inch 7 Millimeter
Bore 1	0.362 Inch 9.2 Millimeter
D	20 mm
bore diameter:	9 mm
static load capacity:	3.8 kN
outside diameter:	20 mm
dynamic load capacity:	3.12 kN
overall width:	7 mm
maximum rpm:	16000 RPM
thrust bearing type:	Single-Direction
cage material:	Steel
outside diameter design:	Straight
fillet radius:	0.3 mm
precision rating:	Not Rated
series:	BA
d	9 mm
H	7 mm
d1 ≈	19.8 mm
D1 ≈	9.2 mm
r1,2 min.	0.3 mm
da min.	15.5 mm
Da max.	13.5 mm
ra max.	0.3 mm

Basic dynamic load rating C	3.12 kN
Basic static load rating C ₀	3.8 kN
Fatigue load limit P _u	0.143 kN
Reference speed	12000 r/min
Limiting speed	16000 r/min
Minimum load factor A	0.000075
Mass bearing (including seat washer where applicable)	0.01 kg