

Toyana CX160 wheel bearings

YOU'LL FIND AN EXTENSIVE SELECTION 49,2 Width (mm) OF Toyana CX160 wheel bearings 41,275 Bore Diameter (mm) FOR SALE.

Bore Diameter (mm)	41,275
Width (mm)	49,2
d	41,275 mm
s1	30,2 mm
A1	39 mm
B	49,2 mm
G	14 mm
H	178,5 mm
J	148,4 mm
L	111 mm
N	15,9 mm
T	54,2 mm
A2	14 mm
Weight	1,9 Kg
Basic dynamic load rating (C)	33,2 kN
Basic static load rating (C0)	21,6 kN
Fatigue load limit (Pu)	0,915
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	2.083
EAN	7316577755377
Product Group	M06110
Number of Mounting Holes	2

Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	9/16 Inch
Relubricatable	Yes
Insert Part Number	YAR 209-110-2F
Seals	M Seal
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	2 Bolt Flange Block; 1-5/8" Bore; 5.8" Bolt Circle; 5-27/32" Bolt Spacing; 1 Piece So
Other Features	Single Row Standard Duty Wide Inner Race Open End Has Flinger Y Bearing
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	FYT 1.5/8 TF
Weight / LBS	4.3
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Bore	1.625 Inch 41.275 Millimeter
Length Thru Bore	1.938 Inch 49.225 Millimeter

Nominal Bolt Circle Diameter Round	5.8 Inch 148 Millimeter
Bolt Spacing	5.844 Inch 148.438 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter