

# Toyana CX382 wheel bearings

Welcome to the Toyana CX382 wheel bearings 10x26x8 Size (mm) online 26 Outer Diameter (mm) seller.

Size (mm)	10x26x8
Bore Diameter (mm)	10
Outer Diameter (mm)	26
Width (mm)	8
d	10 mm
D	26 mm
B	8 mm
C	8 mm
Angle ( $\alpha$ )	15 °
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.036
EAN	4547359425628
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7   ISO P4
Flanges	No
Material – Ball	Steel
Race Material	Steel
Raceway Style	1 Rib Outer Ring
Number of Bearings	2 (1 Pair)
Contact Angle	15 Degree
Preload	Light

Cage Material	Nylon
Rolling Element	Ball Bearing
Mounting Arrangement	Duplex-Universal
Flush Ground	Yes
Inch – Metric	Metric
Other Features	Single Row   Angular Contact
Long Description	10MM Bore; 26MM Outside Diameter; 8MM Inner Race Width; 8MM Outer Race Width; Open Enclosure; ABEC 7
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer Item Number	7000CGD2/GNP4
Weight / LBS	0.079
Outside Diameter	1.024 Inch   26 Millimeter
Inner Race Width	0.315 Inch   8 Millimeter
Flange Outside Diameter	0 Inch   0 Millimeter
Outer Race Width	0.315 Inch   8 Millimeter
Bore	0.394 Inch   10 Millimeter
bore diameter:	10 mm
cage material:	Nylon
outside diameter:	26 mm
finish/coating:	Uncoated
overall width:	16 mm
inner ring width:	8 mm
contact angle:	15 °
maximum rpm (oil):	84240 rpm
duplex type:	Universal Flush Ground

maximum rpm (grease):	52640 rpm
closure type:	Open
outer ring width:	8 mm
operating temperature range:	-40 to 120 °C
fillet radius:	0.3 mm
bearing material:	High Carbon Chrome Steel
manufacturer product page:	<a href="#">Click here</a>
precision rating:	ISO Class 4