

# Toyana FL617/6 ZZ deep groove ball bearings

How do I place 26x17x5 Size (mm) 26 Bore Diameter (mm) an EMERGENCY order for a Toyana FL617/6 ZZ deep groove ball bearings that I want to 17 Outer Diameter (mm) pick up at a our store?

Size (mm)	26x17x5
Bore Diameter (mm)	26
Outer Diameter (mm)	17
Width (mm)	5
d	17 mm
D	26 mm
B	5 mm
d2	18.8 mm
D2	24.15 mm
r1,2 – min.	0.3 mm
da – min.	18.5 mm
da – max.	18.5 mm
Da – max.	24.5 mm
ra – max.	0.3 mm
Basic dynamic load rating – C	1.8 kN
Basic static load rating – C0	1.3 kN
Fatigue load limit – Pu	0.054 kN
Reference speed	56000 r/min
Limiting speed	28000 r/min
Calculation factor – kr	0.02
Calculation factor – f0	14.1

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.008
EAN	7316570793161
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Stainless Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	17MM Bore; 26MM Outside Diameter; 5MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1   ISO
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	W 61803-2Z
Weight / LBS	0.023
Outside Diameter	1.024 Inch   26 Millimeter
Bore	0.669 Inch   17 Millimeter
Outer Race Width	0.197 Inch   5 Millimeter
Inner Race Width	0 Inch   0 Millimeter

d2 ≈	18.8 mm
D2 ≈	24.15 mm
r1,2 min.	0.3 mm
da min.	18.5 mm
da max.	18.5 mm
Da max.	24.5 mm
ra max.	0.3 mm
Basic dynamic load rating C	1.78 kN
Basic static load rating C0	1.27 kN
Fatigue load limit Pu	0.054 kN
Calculation factor kr	0.02
Calculation factor f0	14.1
Mass bearing	0.0076 kg