

# Toyana KK35x40x30 needle roller bearings

The online Toyana KK35x40x30 needle roller bearings parts store gives you 17,000 Bore Diameter (mm) immediate access to a selection of 17x35x10 Size (mm) more than 1.4 million new, used, remanufactured.

Size (mm)	17x35x10
Bore Diameter (mm)	17,000
Outer Diameter (mm)	35,000
Width (mm)	10,000
d	17,000 mm
D	35,000 mm
B	10,000 mm
C	10,000 mm
rs min	0.3 mm
Radial clearance class	CN
Mass	0.04 kg
Dynamic load, C	6.8 kN
Static load, C0	3.35 kN
Fatigue limit load, Cu	0.15 kN
f0	13.6
Nlim (grease)	14,000 rpm
Min operating temperature, Tmin	-25 °C
Max operating temperature, Tmax	110 °C
Characteristic cage frequency, FTF	0.39 Hz
Characteristic rolling element frequency, BSF	4.47 Hz

Characteristic outer ring frequency, BPF0	3.14 Hz
Characteristic inner ring frequency, BRFI	4.86 Hz
da min	19 mm
da max	21 mm
Da max	33 mm
ra max	0.3 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.037
EAN	4547359320596
Product Group	B00308
Enclosure	1 Seal
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Enclosure Type	Contact Seal
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	17MM Bore; 35MM Outside Diameter; 10MM Outer Race Diameter; 1 Seal; Ball Bearing; ABEC 1   ISO P0; N
UNSPSC	31171504

Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6003LU
Weight / LBS	0.081
Outside Diameter	1.378 Inch   35 Millimeter
Bore	0.669 Inch   17 Millimeter
Outer Race Width	0.394 Inch   10 Millimeter