

Toyana N3036 cylindrical roller bearings

Welcome to the 30 Bore Diameter (mm) Toyana N3036 cylindrical roller bearings 30x72x30.2 Size (mm) online seller. 72 Outer Diameter (mm)

Size (mm)	30x72x30.2
Bore Diameter (mm)	30
Outer Diameter (mm)	72
Width (mm)	30.2
d	30 mm
D	72 mm
B	30.2 mm
C	30.2 mm
a	36.2 mm
r min.	1.1 mm
da min.	37 mm
da max	41.3 mm
Da max.	65 mm
ra max.	1 mm
Weight	0.510 Kg
Basic dynamic load rating (C)	41.0 kN
Basic static load rating (C0)	28.5 kN
(Grease) Lubrication Speed	5800 r/min
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.787

EAN	0605790038549
Product Group	B00152
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	24 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	30MM Bore; 72MM Outside Diameter; 30.2MM Width; Open; No Flush Ground; Ball Bearing; Double Row of B
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Bore	1.181 Inch 30 Millimeter
Outside Diameter	2.835 Inch 72 Millimeter
Width	1.189 Inch 30.2 Millimeter
Bearing No.	5306
r(min)	1.1
Cr	51.2
C0r	28.5
Cu	1.45

Grease lub.	5800
Oil lub.	7700
da(min)	37
da(max)	–
Da(max)	65
ra(max)	1
(Refer.)Mass(kg)	0.510