

# Toyana NJ2009 cylindrical roller bearings

What are the types of Toyana NJ2009 cylindrical roller bearings ? 130x75x25 Size (mm) Manufacturing Service . Get Your Free, Instant price, design review.

Size (mm)	130x75x25
Bore Diameter (mm)	130
Outer Diameter (mm)	75
Width (mm)	25
d	75 mm
D	130 mm
B	25 mm
d1	92.05 mm
D2	116.5 mm
r1,2 – min.	1.5 mm
da – min.	84 mm
da – max.	92 mm
Da – max.	121 mm
ra – max.	1.5 mm
Basic dynamic load rating – C	68.9 kN
Basic static load rating – C0	49 kN
Fatigue load limit – Pu	2 kN
Reference speed	10000 r/min
Limiting speed	6700 r/min
Calculation factor – kr	0.025
Calculation factor – f0	15
Inventory	0.0

Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	1.218
EAN	7316577738332
Product Group	B00308
Enclosure	1 Metal Shield
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	75MM Bore; 130MM Outside Diameter; 25MM Outer Race Diameter; 1 Metal Shield; Ball Bearing; ABEC 1
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6215-Z
Weight / LBS	2.69
Bore	2.953 Inch   75 Millimeter
Outside Diameter	5.118 Inch   130 Millimeter
Outer Race Width	0.984 Inch   25 Millimeter
d1 ≈	92.05 mm
D2 ≈	116.5 mm
r1,2 min.	1.5 mm

da min.	84 mm
da max.	92 mm
Da max.	121 mm
ra max.	1.5 mm
Basic dynamic load rating C	68.9 kN
Basic static load rating C <sub>0</sub>	49 kN
Fatigue load limit P <sub>u</sub>	2.04 kN
Calculation factor k <sub>r</sub>	0.025
Calculation factor f <sub>0</sub>	14.7
Mass bearing	1.2 kg