

Toyana NN3160 cylindrical roller bearings

What is Toyana NN3160 cylindrical roller bearings SKF Manufacturer Name in mechanical engineering? Manufacturing Service . Upload your CAD file for an instant. 10.0 Inventory

Inventory	10.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	4.45
EAN	7316577345660
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Insert Part Number	YAR 212-207-2F
Seals	Single Lip Contact
Housing Configuration	1 Piece Solid
Inch – Metric	Inch
Other Features	Flinger Seal
Long Description	2 Bolt Pillow Block; 2-7/16" Bore; 2-3/4" Base to Center Height; Set Screw Mount; Ball Bea

UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	9.81225
d	2.438 Inch 61.925 Millimeter
Bolt Spacing Maximum	7.625 Inch 193.675Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
D	2.563 Inch 65.1 Millimeter
Bolt Spacing Minimum	6.875 Inch 174.625Millimeter
Nominal Bolt Center to Center	7.3 Inch 185.4 Millimeter
B	2.75 Inch 69.85 Millimeter
mounting:	Two-Bolt Base
finish/coating:	Uncoated
bore diameter:	2.4375 in
overall width:	2-9/16 in
bore type:	Round
radial dynamic load capacity:	11860 lbf
base to bore centerline:	2.7500 in
radial static load capacity:	8100 lbf
duty type:	Normal Duty
base width:	60 mm
housing material:	Cast Iron
bolt center-to-center length:	190.5 mm
locking device:	Set Screw
maximum rpm:	3400 RPM
seal type:	Contact/Lip
lubrication type:	Lubrication Fitting
expansion type:	Non-Expansion Bearing (Fixed)

series:	SY
overall length:	240 mm
replacement bearing:	YAR 212-207-2F
overall height:	139.5 mm
standards met:	ISO