

Toyana NN4936 cylindrical roller bearings

Shop Toyana NN4936 cylindrical roller bearings huge online discount inventory. and Import machinery parts your 47 Bore Diameter (mm) car needs with Free 47x20x14 Size (mm) Shipping and Free Extended Warranty.

Size (mm)	47x20x14
Bore Diameter (mm)	47
Outer Diameter (mm)	20
Width (mm)	14
d	20 mm
D	47 mm
B	14 mm
d1	29.5 mm
D2	40.9 mm
r1,2 – min.	1 mm
da – min.	25 mm
da – max.	29 mm
Da – max.	42 mm
ra – max.	1 mm
Basic dynamic load rating – C	12.5 kN
Basic static load rating – C0	6.6 kN
Fatigue load limit – Pu	0.28 kN
Reference speed	34000 r/min
Limiting speed	17000 r/min
Calculation factor – kr	0.03
Calculation factor – f0	13.1

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	7316570271492
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Stainless Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	20MM Bore; 47MM Outside Diameter; 14MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	W 6204-2Z/R799
Weight / LBS	0.243
Outer Race Width	0.551 Inch 14 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	0.787 Inch 20 Millimeter
Outside Diameter	1.85 Inch 47 Millimeter

d1 ≈	29.5 mm
D2 ≈	40.92 mm
r1,2 min.	1 mm
da min.	25 mm
da max.	29 mm
Da max.	42 mm
ra max.	1 mm
Basic dynamic load rating C	10.8 kN
Basic static load rating C0	6.55 kN
Fatigue load limit Pu	0.28 kN
Calculation factor kr	0.03
Calculation factor f0	13.1
Mass bearing	0.11 kg