

Toyana NNU4936K cylindrical roller bearings

We Provide 80,000 Outer Diameter (mm) Extensive Toyana NNU4936K cylindrical roller bearings 50x80x16 Size (mm) Selection And Competitive Wholesale Pricing.

Size (mm)	50x80x16
Bore Diameter (mm)	50,000
Outer Diameter (mm)	80,000
Width (mm)	16,000
d	50,000 mm
D	80,000 mm
B	16,000 mm
C	16,000 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.26
EAN	4547359010381
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	Yes
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium

Inch – Metric	Metric
Long Description	50MM Bore; 80MM Outside Diameter; 16MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6010ZZNR/2A
Weight / LBS	0.575
Outer Race Width	0.63 Inch 16 Millimeter
Bore	1.969 Inch 50 Millimeter
Outside Diameter	3.15 Inch 80 Millimeter
bore diameter:	50 mm
precision rating:	ISO Class 0
outside diameter:	80 mm
finish/coating:	Uncoated
overall width:	16 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	16 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	16 mm
snap ring included:	With Snap Ring
maximum rpm (grease):	8400 rpm
internal clearance:	CN
fillet radius:	1 mm

operating temperature range:	-40 to 120 °C
maximum rpm:	9800 RPM
dynamic load capacity:	21800 N
series:	60
static load capacity:	16600 N
manufacturer product page:	Click here